Contents of Journal of Animal and Feed Sciences Volume 1

Vol. 1, No 1 January 19	92
Reorientation of livestock research in Poland	
E.R. Ørskov (Bucksburn, UK)	1
Sire evaluations at different levels of milk production	
A. Żarnecki and W. Strzałkowski (Kraków, Poland)	9
Protein content in the diet for fattening lambs. 1. Liveweight gain, efficiency of feed utilization and digestibility of nitrogen and amino acids in the small intestine	
T. Żebrowska, H. Żebrowska and J. Pająk (Jabłonna, Poland)	15
Protein content in the diet for fattening lambs. 2. The chemical and amino acid composition of the body and utilization of amino acids apparently absorbed in the small intestine J. Pajak, T. Żebrowska and H. Żebrowska (Jabłonna, Poland)	27
The effect of feeds containing various levels of structural substances on morphological changes in intestinal walls and on the digestibility of the crude fibre fractions in geese (Part III)	21
D. Jamroz, A. Wiliczkiewicz and J. Skorupińska (Wrocław, Poland)	37
Changes in egg shell quality during the first year of laying in hens	51
B.Z. Kamińska and B. Skraba	31
land)	59
A simple in vitro test for evaluation of the usefulness of industrial enzymes as additives to broiler diets based on rye	
S. Smulikowska (Jabłonna, Poland)	64
The chemical composition of different types and varieties of pea and the digestion of their protein in pigs	
J. Gdala, L. Buraczewska and W. Grala (Jabłonna, Poland)	71
Vol. 1, No 2 July 19	192
The effect of crossing of Corriedale type ewes with prolific rams on the wool productivity of their progeny	
R. Niżnikowski, W. Janikowski and W. Rant (Brwinów, Poland)	81
M. Koćwin-Podsiadła, J. Kurył and W. Przybylska (Siedlce, Poland)	89
The effect of feeding ground formaldehyde- or heat-treated rape seeds on cow performance and milk composition	0,7
J.A. Strzetelski, R. Ryś, T. Stasiniewicz, M. Sroka and Z. Gawlik (Kraków, Poland)	97
The use of rape seeds in a complete feed in intensive fattening of young bulls J.A. Strzetelski, E. Lipiarska, J. Kowalczyk, T. Stasiniewicz and K. Maciaszek (Kraków,	
Poland)	107
The effect of diets containing different levels of structural fibre on intestinal length, dry mat-	

ter content of digesta, biochemical indices and electrolyte concentration in blood serum of geese	
A. Wiliczkiewicz, D. Jamroz and J. Skorupińska (Wrocław, Poland)	117
Availability of phosphorus from field bean (Vicia faba) and lupin (Lupinus albus) seeds to broiler chickens	
A. Antoniewicz, K. Dumańska and A. Ombach (Kraków, Poland)	127
Excretion of biliary fat and fatty acids in growing pigs	12:
H. Jørgensen, K. Jakobsen and B.O. Eggumc (Foulum, Denmark)	120
Studies on absorption and secretion of ¹⁵ N endogenous nitrogen along the digestive tract of	139
pigs	
T. Żebrowska, J. Kowalczyk (Jabłonna, Poland), K. Krawielitzki, U. Henning and	
R. Schadereit (Rostock, Germany)	131
The effect of pectinolytic yeasts on rumen microflora	
V. Kmet', Z. Jiŏnccová and M. Stachová (Košice, Slovakia)	165
A note on carcass characteristics of adult Japanese quail fed recycled quail manure	
V. Chrappa, V. Sabo, K. Boda and H. Strażnicka (Ivanka pri Dunaji, Slovakia)	171
A note on the chemical composition of low glucosinolate rape seed produced in North-Eastern	
Poland	
S. Matyka, T. Jaśkiewicz, G. Bogusz and W. Korol (Lublin Poland)	177
Vol. 1, No 3-4 February 19	993
The influence of thyrotropin-releasing hormone (THR) on growth rate and thyroid activity in	
broiler chicks	
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland)	183
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland)	
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland)	
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland)	
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland)	
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet	193
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada)	193
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility	193
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages	193 205
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland)	193 205
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrateto-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influen-	193 205
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding	193 205
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrateto-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jo-	193 205 213
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland)	193 205 213
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrateto-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep	193205213223
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrateto-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland)	193205213223
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of ru-	193205213223
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dictary protein using rats	193205213223
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dietary protein using rats Z.M. Kowalski (Kraków, Poland), L. Jarosz (Wrocław, Poland), J. Kański and B. Kow-	193205213223237
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokionen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dietary protein using rats Z.M. Kowalski (Kraków, Poland), L. Jarosz (Wrocław, Poland), J. Kański and B. Kownacki (Kraków, Poland)	193205213223237
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokioinen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dietary protein using rats Z.M. Kowalski (Kraków, Poland), L. Jarosz (Wrocław, Poland), J. Kański and B. Kownacki (Kraków, Poland) The influence of trivalent cations and thermal treatment on ruminal degradability of field bean	193205213223237
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokioinen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dietary protein using rats Z.M. Kowalski (Kraków, Poland), L. Jarosz (Wrocław, Poland), J. Kański and B. Kownacki (Kraków, Poland) The influence of trivalent cations and thermal treatment on ruminal degradability of field bean (Vicia faba) and rape seed (Brassica napus) protein	193205213223237255
E. Wir-Konas, R. Ryś and M. Pietras (Kraków, Poland) Fattening performance of Polish Lowland lambs related to protein level in the diet J. Pająk, M. Słowak and P. Dakowski (Jabłonna, Poland) Utilization of whole barley grain by mature ewes depending on forage type and concentrate- to-forage ratio in the diet Z.M. Kowalski (Kraków, Poland) and R.M. Tait (Vancouver, Canada) The effect of cut, stage of growth and wilting on nitrogenous compounds and protein solubility in grass silages Z.M. Kowalski, J.B. Bryś and J. Kański (Kraków, Poland) Composition, digestibility and particle-associated enzyme activities in rumen digesta as influenced by particle size and time after feeding P. Huhtanen (Helsinki, Finland), P. Dakowski (Jabłonna, Poland) and A. Vanhatalo (Jokioinen, Finland) Dietary protein source in the diet and digestibility of fibre fractions in sheep P. Dakowski (Jabłonna, Poland) Estimation of the effect of temperature during dehydration of grass on true digestibility of rumen undegraded dietary protein using rats Z.M. Kowalski (Kraków, Poland), L. Jarosz (Wrocław, Poland), J. Kański and B. Kownacki (Kraków, Poland) The influence of trivalent cations and thermal treatment on ruminal degradability of field bean	193205213223237255

AUTHOR INDEX	89
R. Skrzypek (Poznań, Poland)	279
J. Książkiewicz (Poznań-Zakrzewo, Poland), H. Kontecka and L. Nogowski (Poznań, Poland)	289

A note on the influence of microgravity on the microbial endoecosystem of Japanese quail