

JOURNAL OF ANIMAL AND FEED SCIENCES

Vol. 12, No. 1

CONTENTS

2003

Memorial: Bernard Barcikowski	1
Effects of type of grass silage and level of concentrate on the flow of soluble non-ammonia nitrogen entering the omasum of dairy cows C.W. Choi, A. Vanhatalo and P. Huhtanen (Jokioinen, Finland)	3
Effect of ration composition fed to cows on the mobile bag digestibility S. Michalak (Poznań, Poland), M.R. Weisbjerg and T. Hvelplund (Foulum, Denmark)	23
An alternative feeding system for dairy goats: Effects of free-choice feeding on milk yield and milk composition of lactating suckling Damascus goats M. Görgülü, O. Güney, O. Torun, O. Özuyanık and H.R. Kutlu (Adana, Turkey)	33
The effect of selected rumen fauna on fibrolytic enzyme activities, bacterial mass, fibre disappearance and fermentation pattern in sheep T. Michałowski, G. Belzecki, E. Kwiatkowska and J.J. Pajak (Jabłonna, Poland)	45
A note on the influence of fat supplementation of sheep rations on the level of purine derivatives in urine and bacterial synthesis in the rumen A. Potkański, M. Szumacher-Strabel (Poznań, Poland), J. Kowalczyk (Jabłonna, Poland) and A. Cieślak (Poznań, Poland)	55
The use of green fluorescent protein (GFP) to select bovine embryos A.M. Duszewska, S.J. Rosochacki (Jastrzębiec, Poland), L. Kozikova (St. Petersburg-Pushkin), M. Cybulská, M. Korwin-Kossakowski, B. Waś, J. Połoszynowicz, K. Wicińska and H. Szydlik (Jastrzębiec, Poland)	71
Effect of fertilization and variety on digestibility of phosphorus from plant feedstuffs in pigs M. Hovenjürgen (Bonn, Germany), M. Rodehutscord (Halle, Germany) and E. Pfeffer (Bonn, Germany)	83
Reaction of laying hens to low phosphorus diets and addition of different phytase preparations D. Jamroz, J. Orda, J. Skorupińska, A. Wiliczkiewicz, T. Wertelecki, R. Żyłka (Wrocław, Poland) and A-M. Klünter (Saint Louis, Cedex)	95
Substitution of soyabean meal with “00” rapeseed meal or its high-protein fraction in the nutrition of hens laying brown-shelled eggs B.Z. Kamińska (Balice, Poland)	111

The effect of supplemental vitamin E and dietary rape seed oil level on broiler performance, meat and fat quality M. Młodkowski, S. Świątkiewicz, J. Koreleski and M. Kubicz (Balice, Poland)	121
Effect of adding mannan-oligosaccharide to the diet on the performance, weight of digestive tract segments, and caecal digesta parameters in young turkeys J. Juśkiewicz, Z. Zduńczyk and J. Jankowski (Olsztyn, Poland)	133
Antioxidant enzyme activity in liver tissue of chickens fed diets supplemented with various forms and amounts of selenium K. Jr. Holovská, K. Holovská, K. Boldižárová, S. Čekonová, V. Lenártová, M. Levkut, P. Javorský and L. Leng (Košice, Slovak Republic)	143
Ground maize cob as a dietary ingredient for broiler chickens in the tropics A. Donkoh, E.K.D. Nyannor, A. Asafu-Adjaye and J. Duah (Kumasi, Ghana)	153
Effects of diets of different mixing homogeneity on performance and carcass traits of broilers İ. Çiftci and A. Ercan (Diskapi-Ankara, Turkey)	163
A mathematical model for estimation of optimum broiler production period under the economic conditions of Turkey C. Oğuz and S.S. Parlat (Ankara, Turkey)	173
A note on changes in the concentration of short-chain fatty acids in the caecal content of laying hens due to addition of fresh grass to the diet D. Józefiak and A. Rutkowski (Poznań, Poland)	181
Grading standards and their effect on estimates of variance components and genetic trends in the silver fox (<i>Vulpes vulpes</i> L.) H. Wierzbicki and A. Filistowicz (Wrocław, Poland)	189
A highly efficient method for determination of some amino acids and glutathione by liquid chromatography M. Czauderna, J. Kowalczyk, K.M. Niedzwiedzka and I. Wąsowska (Jabłonna, Poland)	199
VOL. 12, No. 2	2003
Intake, rumen function and NDF kinetics in mature dairy heifers in Tanzania maintained on poor quality hay as affected by sugar, starch, nitrogen or mineral supplementation P.S. Mlay, A.E. Pereka (Morogoro, Tanzania), M.R. Weisbjerg, T. Hvelplund and J. Madsen (Foulum, Denmark)	219
Fatty acid flow to the duodenum of sheep fed diets supplemented with different types of fat M. Szumacher-Strabel, A. Potkański (Poznań, Poland), J. Kowalczyk (Jabłonna, Poland), A. Cieślak (Poznań, Poland), M. Czauderna (Jabłonna, Poland), G. Strzelecka and P. Jędrószkowiak (Poznań, Poland)	239

Carcass and meat quality of Friesian, Piemontese x Friesian and Limousin x Friesian young bulls under intensive beef production system in Turkey A. Alçıçek, A. Önenç and M. Güngör (İzmir, Turkey)	249
Nutritional value of fermented and not fermented material of distiller's grains in pig nutrition R.-L. Huang, Y.-L. Yin, K.-P. Wang, T.-J. Li and J.-X. Liu (Hunan, P.R. China)	261
Effect of linseed and rapeseed or linseed and rapeseed oil on performance, slaughter yield and fatty acid deposition in edible parts of the carcass in broiler chickens C.V. Nguyen, S. Smulikowska and A. Mieczkowska (Jabłonna, Poland)	271
Influence of oligosaccharide extracts from pea and lupin seeds on caecal fermentation in rats J. Juśkiewicz, Z. Zduńczyk, M. Wróblewska (Olsztyn, Poland) and K. Gulewicz (Poznań, Poland)	289
A note on the nutritional value of enzymatically hydrolyzed feather meal for broiler chickens A. Rutkowski, D. Józefiak, M. Frątczak and M. Wiąz (Poznań, Poland)	299
Bayesian estimates of genetic variance of fertility and hatchability under a threshold animal model A. Dobek, M. Szydłowski, T. Szwalczkowski, E. Skotarczak and K. Molinski (Poznań, Poland)	307
An econometric approach to prediction of optimal broiler production cycle using the coefficient of economic efficiency C. Oğuz and S.S. Parlat (Konya, Turkey)	315
Incidence of genetically modified soyabean and maize as animal feed in Egypt M.A. Tony (Giza, Egypt), A. Butschke, J. Zagon, H. Broll, M. Schauzu (Berlin, Germany), S.A. Awadalla (Giza, Egypt), H.M. Hafez (Berlin, Germany) and G. Flachowsky (Braunschweig, Germany)	325
Evaluation of the nutritive value of the browse species <i>Gliricidia sepium</i> (Jacq). Walp, <i>Leucaena leucocephala</i> (Lam.) de Wit. and <i>Cajanus cajan</i> (L.) Millsp from Nigeria S.M. Odeyinka (Ile-Ife, Nigeria), B.L. Hector and E.R. Ørskov (Craigebackler, United Kingdom)	341
Device for quantitative collection of chicken excrements in balance studies Ľ. Grešáková, K. Boldižárová, S. Kuricová, M. Levkut and L. Leng (Košice, Slovak Republic)	351
A method of recording oviduct and uterine myoelectrical activity in gilts using implantable telemetry J. Woliński (Jabłonna, Poland), A. Zięcik (Olsztyn, Poland), Z. Gajewski (Warszawa, Poland), W. Korczyński and R. Zabielski (Jabłonna, Poland)	359
Determination of conjugated linoleic acid isomers by liquid chromatography and photodiode array detection M. Czauderna, J. Kowalczyk, I. Wąsowska and K.M. Niedzwiedzka (Jabłonna, Poland)	369

Acid-insoluble ash as a marker in nutrient digestibility studies: a review J. Sales and G.P.J. Janssens (Ghent, Belgium)	383
RT-PCR technique and its applications. State-of the-art T. Malewski, A. Malewska (Jastrzębiec, Poland) and R. Rutkowski (Warszawa, Poland)	403
Effect of processed cereal grains as a supplement on grass intake, rumen pool sizes, ruminal kinetics and the performance of grazing lactating dairy cows R. Tóthi (Kaposvár, Hungary), R.H. Zhang (Huhhot, P.R. China), P. Chilibroste (Paysandu, Uruguay), H. Boer and S. Tamminga (Wageningen, The Netherlands)	417
Effects of pelleting and expanding of vegetable feeds on <i>in situ</i> protein and starch digestion in dairy cows K. Ljøkkel, A. Skrede and O.M. Harstad (Ås, Norway)	435
Effects of protected methionine and variable energy supply on lactational responses in dairy cows fed grass silage-based diets Z.M. Kowalski, P.M. Pisulewski (Kraków, Poland) and M. Görgülü (Adana, Turkey)	451
Development of a method for measuring lysine and methionine bioavailability in rumen-protected products for cattle H. Rulquin (Saint-Gilles, France) and J. Kowalczyk (Jabłonna, Poland)	465
Efficiency of metabolizable and net energy in growing bulls fed diets with maize silage S. Osieglowski (Pawłowice, Poland), J.A. Strzelenski (Balice, Poland), J. Kowalczyk (Jabłonna, Poland) and B. Niwińska (Balice, Poland)	475
Change in body condition of Gobra zebu cattle under different level of feeding. Relationship with body lipids and energy M. Cissé, D. Ditaroh, A. Korréa, I. Ly (Dakar, Senénégal) and D. Richard (Montpellier, France)	487
The effect of rumen protozoa on plasma allantoin level and urinary excretion of purine derivatives in sheep T. Fujihara, M. Iwakuni (Shimane, Japan), M.N. Shem (Morogoro, Tanzania) and T. Hirano (Shimane, Japan)	499
The urinary excretion of purine derivatives in sheep is not influenced by long term treatment with vasopressin Š. Faix, L. Leng (Košice, Slovak Republik), J.J. Paják, M. Czauderna (Jabłonna, Poland), Z. Faixová, K. Boldižárová (Košice, Slovak Republik) and J. Kowalczyk (Jabłonna, Poland)	513

A note on analysis of chromosome constitution in tissue, quality of semen and DNA microsatellite loci in bull with 60,XY/61,XYY karyotype K. Jaszczałk, R. Parada, B. Wardęcka and C. Niemczewski (Jastrzębiec, Poland)	521
The level of zearalenone and α -zearalenol in the blood of gilts with clinical symptoms of toxicosis, fed diets with a low zearalenone content K. Obremski, M. Gajęcki, W. Zwierzchowski, T. Bakula, J. Apoznański (Olsztyn, Poland) and J. Wojciechowski (Grudziądz, Poland)	529
Fat digestibility, nitrogen retention, and fatty acid profiles in blood and tissues of post-weaning piglets fed interesterified fats E.M. Straarup (Lyngby, Denmark), V. Danielsen, K. Jakobsen (Foulum, Denmark) and C.-E. Hoy (Lyngby, Denmark)	539
Lipid fatty acid composition and oxidative susceptibility in eggs of hens fed a fish fat diet supplemented with vitamin E, C, or synthetic antioxidant J. Koreleski, S. Świątkiewicz and A. Iwanowska (Balice, Poland)	561
Influence of feeding full-fat linseed and rapeseed on the morphology of small intestinal mucosa in broiler chickens C.V. Nguyen, M. Biernat and S. Smulikowska (Jabłonna, Poland)	573
The influence of phytogenic extracts on performance, nutrient digestibility, carcass characteristics, and gut microbial status in broiler chickens D. Jamroz, J. Orda (Wrocław, Poland), C. Kamel (Archamps, France), A. Wiliczkiewicz, T. Wertelecki and J. Skorupińska (Wrocław, Poland)	583
A note on nutritive value of blend of blood and ground maize cob for broiler chickens A. Donkoh, S. Otchere, U.O. Asare, E. Okyere-Boakye, R.Y. Tawiah and E.K.D. Nyannor (Kumasi, Ghana)	597
Tissue-specific effect of recombinant porcine growth hormone on expression of growth-related genes in the pig R.Q. Zhao, J. Zhou, Q.F. Xu, Z.H. Zhao, X.H. Wei, D. Xia, W.H. Chen and J. Chen (Nanjing, P.R. China)	605
The effect of 3 or 6 weeks feeding of diets containing different fat source and content on deoxycorticosterone 11 β -hydroxylase activity in adrenal gland and on plasma corticosterone and leptin concentration in rats M. Stachoń, J. Gromadzka-Ostrowska, M. Przepiórka and E. Fürstenberg (Warszawa, Poland)	617
Effects of fermented products on performance, faecal pH, <i>Enterobacteriaceae</i> and lactic acid bacteria counts and interrelationships, and plasma cholesterol concentration in rats T.C. Loh, H.L. Foo, S.H. Tan, Y.M. Goh, M.H. Shukriyah and C.N. Kufli (Selangor, Malaysia)	633

Content of phenolics and tannins in leaves and pods of some <i>Acacia</i> and <i>Dichrostachys</i> species and effects on <i>in vitro</i> digestibility C.D.K. Rubanza (Tottori, Japan), M.N. Shem (Morogoro, Tanzania), R. Otsyina (Shinyanga, Tanzania), N. Nishino (Okayama, Japan), T. Ichinohe and T. Fujihara (Shimane, Japan)	645
Solid-state fermentation of fibrous residues J. Vadiveloo (Mara, Malaysia)	665
Editorial news and events	667
VOL. 12, No. 4	2003
Polymorphism of BTN and GHR genes and its impact on bulls' breeding value for milk production traits J. Komisarek and Z. Dorynek (Poznań, Poland)	681
Genetic parameters of linearly scored conformation traits of Polish Black-and-White cows A. Żarnecki, M. Morek-Kopeć and W. Jagusiak (Kraków, Poland)	689
Plasma leptin concentration during 45 days in pre-weaning Japanese Black and Holstein calves T. Tokuda (Matsue-shi, Japan) and S. Shinde (Shobara-shi, Japan)	697
Effects of frequency of supplementation with soyabean meal and litter size on performance of Angora does consuming low quality forage in late gestation and early lactation R. Joemat, A.L. Goetsch, T. Wuliji (Langston, USA), G.W. Horn (Stillwater, USA), T. Sahlu, R. Puchala, R.C. Merkel, S. Soto-Navarro (Langston, USA) and M. Smuts (Irene, South Africa)	707
Estimation of main carcass components by using bootstrapping regression method S. Şahinler (Hatay, Turkey) and M. Görgülü (Adana, Turkey)	723
Energy metabolism of growing pigs during protein and energy deficiency and subsequent realimentation G. Skiba, H. Fandrejewski, S. Raj and D. Weremko (Jabłonna, Poland)	739
The effect of the apparent ileal digestible lysine-to-energy ratio on growth rate and protein deposition in the body of growing pigs fed a wheat-rapeseed diet S. Raj, G. Skiba, D. Weremko and H. Fandrejewski (Jabłonna, Poland)	749
The nutritive value of hulled and hulless barley for growing pigs. 1. Determination of energy and protein digestibility with the <i>in vivo</i> and <i>in vitro</i> method G. Huang, W.C. Sauer, J. He, J. Hwangbo and X. Wang (Edmonton, Canada)	759

The nutritive value of hulled and hulless barley for growing pigs. 2. Determination of <i>in vivo</i> and <i>in vitro</i> energy and <i>in vivo</i> ileal amino acid digestibility G. Huang, W.C. Sauer, J. He (Edmonton, Canada) and M. Ramírez (Mexicali, México)	771
Determination of variability of apparent ileal amino acid digestibility values in barley samples for growing-finishing pigs with dual digestibility markers M.Z. Fan (Guelph, Canada) and W.C. Sauer (Edmonton, Canada)	785
Age-related changes and seasonal variation in boar sperm metabolism during liquid storage at 5° and 16°C L. Fraser, K. Gorszczařuk, M. Lecewicz and J. Strzeżek (Olsztyn, Poland)	803
A note on the performance and nitrogen output in broiler chickens fed diets with and without meat-and-bone meal formulated to total or digestible amino acid requirements W. Szczurek (Balice, Poland)	813
The effect of <i>Bacillus cereus</i> var. <i>toxoid</i> and avilamycin on the faecal microflora of turkeys E. Biedrzycka, M. Bielecka, A. Majkowska and J. Jankowski (Olsztyn, Poland)	821
A note on chromosome abnormalities in early turkey embryos K. Jaszczałk, R. Parada and M. Sacharczuk (Jastrzębiec, Poland)	833
Hormonal and metabolic effects of genistein and daidzein in male rat K. Szkudelska, L. Nogowski, P. Kaczmarek, E. Pruszyńska-Oszmałek, R. Szkudelski, A. Sieczka and T. Szkudelski (Poznań, Poland)	839
Detecting meat-and-bone meal in ruminant's feeds by species-specific PCR Y.H. Cheng (I-Lan, Taiwan), C.M. Wen (Kao-Hsiung, Taiwan), S.T. Ding (Taipei, Taiwan), C.C. Kao and T.Y. Kuo (I-Lan, Taiwan)	849
A note on comparison of exon 2 of the IGF-I gene in four species of the family <i>Canidae</i> J. Klukowska (Poznań, Poland), A. Wengi-Piasecka (Zürich, Switzerland) and M. Świtoniński (Poznań, Poland)	859
The effects of selenium and conjugated linoleic acid (CLA) isomers on fatty acid composition, CLA isomer content in tissues, and growth of rats M. Czauderna, J. Kowalczyk, I. Wąsowska, K.M. Niedźwiedzka and B. Pastuszewska (Jabłonna, Poland)	865
Editorial news and events	883
Author index	885
Contents of Journal of Animal Feed Sciences, Volume 12	895